Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

What is claimed is:

1. – 29. (Cancelled)

30. (Currently Amended) An apparatus arranged for receiving, comprising:

an authentication gateway operable to receive an access request in a telecommunication core network (CN) [[from]] through a wireless local access network-access server (WLAN-AS) in a wireless local access network (WLAN) from a user equipment (UE) of a user, the user being a subscriber of the telecommunication CN and being identified by a user's identifier included in the access request[[,]];

the apparatus having a means for carrying authentication gateway operable to carry out an authentication procedure with the UE through the WLAN-AS in order to authenticate the user; and a means for by computing at least one secret user's key (Kc) usable as cryptographic material;

the apparatus <u>further</u> comprising:

a means for deriving from the cryptographic material a user's shared key intended for single sign on (SSO) purposes for carrying out an authentication procedure between the authentication gateway and the UE through the WLAN-AS in order to authenticate the user; and

a means for sending the user's shared key along with the user's identifier towards a SSO session manager serving a service network (SN) of a mobile network operator (MNO) (MNO-SN), wherein the SSO session manager is operable to manage a session record for a user accessing the service network through an access network;

Appl. No. 10/596,863

Reply to Office Action dated May 13, 2009

Attorney Docket No. P18230-US1

EUS/GJ/P/09-270x

the authentication gateway further being operable to receive a notification that an

access session has been established, the notification triggering the sending of the

user's shared key towards the SSO session manager;

the authentication gateway being further operable to receiving a notification that

a session at the access level has been terminated, and forwarding the termination

notification towards the SSO session manager in order to inactivate a current master

session for the user.

31. (Currently Amended) The apparatus of claim 30, further comprising means

for being notified that a session at an access level of the WLAN-AS has been

established, this notification triggering the sending of the user's shared key to a SSO

session manager serving the MNO-SN. receiving a first user's shared key and a user's

identifier from the core network for SSO authentication purposes, the first user's shared

key obtainable during the authentication of the user by the core network;

means for creating a master session for the user that comprises the user's

identifier and the received first user's shared keys and means for checking whether a

second user's shared key derived at the user's equipment matches the first user's

shared key included in the master session for the user.

32. (Currently Amended) The apparatus of claim 31, further comprising means

for being notified that a session at the access level of the WLAN-AS has been

terminated, and means for forwarding this notification to a SSO session manager

serving the MNO-SN in order to inactivate a current master session for the user creating

a service session to index a master session, in case of matching first and second user's

shared keys, the service session being a token of a successful SSO user

authentication.

33.-45.

(Canceled)

Page 3 of 8

46. (Currently Amended) A user equipment (UE) usable by a user with a subscription in a telecommunication network, comprising:

and arranged to access means for accessing a service network (SN) of a mobile network operator (MNO)(MNO-SN) through a wireless local access network (WLAN)[[,]]; the UE having

means for carrying out an authentication procedure to authenticate the user with [[a]] an authentication gateway of a core network (CN), through [[the]] a WLAN access server (WLAN-AS), wherein the authentication gateway is operable to receive notifications that an access session has been established and terminated;

[[and]]

means for computing at least one secret user's key usable as cryptographic material[[,]];

the UE comprising:

- a means for deriving from the cryptographic material a user's shared key intended for single sign on (SSO) purposes;
 - a repository for storing the user's shared key; and
- a means for confirming to [[a]] <u>SSO</u> session manager of the MNO-SN the user's shared key stored at the UE.
- 47. (Previously Presented) The UE of claim 46, wherein the means for confirming the user's shared key to the session manager of the MNO-SN includes a means for downloading an SSO plug-in from, the session manager of the MNO-SN, the SSO plug-in operable to confirm the user's shared key.
- 48. (Previously Presented) The UE of claim 46, wherein the means for confirming to a session manager of the MNO-SN the user's shared key includes a means for processing the user's shared key to obtain a key code to be transmitted to the session manager of the MNO-SN.

Appl. No. 10/596,863 Reply to Office Action dated May 13, 2009 Attorney Docket No. P18230-US1 EUS/GJ/P/09-270x

- 49. (Previously Presented) The UE of claim 46, further comprising means for receiving an SSO cookie from the session manager of the MNO-SN, the SSO cookie to be included in all further service requests from the UE as an SSO token.
 - 50.-58 (Canceled)